ELSEVIER

Journal of Affective Disorders 57 (2000) 281–282

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

# Contents (Vol. 57)

## Nos. 1–3 – January – March 2000

**Review Articles**

Relationship between depression and cerebrovascular disease: conceptual issues
R. Ramasubbu (Canada) 1

The current status of the platelet 5-$HT_{2A}$ receptor in depression
S.D. Mendelson (USA) 13

**Research Reports**

Evidence for genetic influences common and specific to symptoms of generalized anxiety and panic
J.F. Scherrer, W.R. True, H. Xian, M.J. Lyons, S.A. Eisen, J. Goldberg, N. Lin, M.T. Tsuang (USA) 25

Diurnal variations in endocrine and psychological responses to 0.2 mg/kg naloxone administration in patients with major depressive disorder and matched controls
A.F. Martín del Campo, J.H. Dowson, J. Herbert, E.S. Paykel (Mexico, UK) 37

The course of depression in elderly subjects with and without dementia
J. Janzing, R. Teunisse, P. Bouwens, M. van 't Hof, F. Zitman (The Netherlands) 49

Bright light improves vitality and alleviates distress in healthy people
T. Partonen, J. Lönnqvist (Finland) 55

Is cognitive behavior therapy just a 'nonspecific' intervention for depression? A retrospective comparison of consecutive cohorts treated with cognitive behavior therapy or supportive counseling and pill placebo
M.E. Thase, E.S. Friedman, S.R. Berman, A.L. Fasiczka, J.A. Lis, R.H. Howland, A.D. Simons (USA) 63

The benefit from whole body acupuncture in major depression
J. Röschke, Ch. Wolf, M.J. Müller, P. Wagner, K. Mann, M. Grözinger, S. Bech (Germany) 73

Motor and cognitive aspects of motor retardation in depression
M.P. Caligiuri, J. Ellwanger (USA) 83

Reliability and validity of the DSM-IV diagnostic category of schizoaffective disorder: Preliminary data
M. Maj, R. Pirozzi, A.M. Formicola, L. Bartoli, P. Bucci (Italy) 95

Urban/rural and gender differentials in suicide rates: East and West
P.S.F. Yip, C. Callanan, H.P. Yuen (Hong Kong, Australia) 99

A control study of the cutaneous side effects of chronic lithium therapy
H.H.L. Chan, Y.-k. Wing, R. Su, C. Van Krevel, S. Lee (Hong Kong) 107

Differential clinical features of late-onset panic disorder
J. Seguí, L. Salvador-Carulla, M. Márquez, L. Garcia, J. Canet, M. Ortiz (Spain) 115

Effects of pregnancy and delivery on serum prolyl endopeptidase (PEP) activity: alterations in serum PEP are related to increased anxiety in the early puerperium and to postpartum depression
M. Maes, I. Libbrecht, A.-h. Lin, F. Goossens, W. Ombelet, K. Stevens, E. Bosmans, C. Altamura, J. Cox, R. de Jongh, S. Scharpé (Belgium, Italy, USA, UK) 125

Predictors of recurrence in affective disorder — analyses accounting for individual heterogeneity
L.V. Kessing, E.W. Andersen, P.K. Andersen (Denmark) 139

The directed forgetting task: application to emotionally valent material
M.J. Power, T. Dalgleish, V. Claudio, P. Tata, J. Kentish (UK, Portugal) 147

Remission onset and relapse in depression. An 18-month prospective study of course for 100 first admission patients
D. O'Leary, F. Costello, N. Gormley, M. Webb (Ireland, UK) 159

'Acting out' and 'acting in' behavioural stress responses: the relevance of anxiety and personality style
G. Parker, K. Roy, K. Wilhelm, P. Mitchell (Australia) 173

Paternal remarriage as a modifier of proneness to depression in young adulthood
U.K. Tulisalo, H.M. Aro (Finland) 179
Lifetime psychiatric comorbidity rate in Israeli non-help-seeking patients with combat-related post-traumatic stress disorder
B. Spivak, M. Segal, N. Laufer, R. Mester, A. Weizman (Israel) 185
Lack of coordination of nonverbal behaviour between patients and interviewers as a potential risk factor to depression recurrence: vulnerability accumulation in depression
A.L. Bouhuys, M.M. Sam (The Netherlands) 189
Oral *d*-fenfluramine test in treatment-refractory depression. Plasma prolactin response compared in patients with and without suicide attempts and in a healthy reference group
H. Prochazka, M. Sjögren, H. Ågren (Sweden) 201
Do early adverse experiences establish a cognitive vulnerability to depression on exposure to mirroring life events in adulthood?
G. Parker, G. Gladstone, P. Mitchell, K. Wilhelm, K. Roy (Australia) 209

**Brief Reports**
Quality of well being in panic disorder: the assessment of psychiatric and general disability
H.C. Rubin, M.H. Rapaport, B. Levine, J.K. Gladsjo, A. Rabin, M. Auerbach, L.L. Judd, R. Kaplan (USA) 217
Is self-criticism unique for depression? A comparison with social phobia
B.J. Cox, N.A. Rector, R.M. Bagby, R.P. Swinson, A.J. Levitt, R.T. Joffe (Canada) 223
Parental child-rearing behavior as measured by the Parental Bonding Instrument in a Japanese population: factor structure and relationship to a lifetime history of depression
T. Narita, T. Sato, S. Hirano, M. Gota, K. Sakado, T. Uehara (Japan) 229
Health-related quality of life using the SF-36 in patients with bipolar disorder compared with patients with chronic back pain and the general population
L.M. Arnold, K.A. Witzeman, M.L. Swank, S.L. McElroy, P.E. Keck Jr (USA) 235
Tridimensional personality questionnaire and treatment response in major depressive disorder: a negative study
J.R. Newman, S.E. Ewing, R.D. McColl, J.S. Borus, A.A. Nierenberg, J. Pava, M. Fava (USA) 241

**Preliminary Communications**
Mexiletine in treatment-resistant bipolar disorder
A. Schaffer, A.J. Levitt, R.T. Joffe (Canada) 249
Antidepressant efficacy of Sudarshan Kriya Yoga (SKY) in melancholia: a randomized comparison with electroconvulsive therapy (ECT) and imipramine
N. Janakiramaiah, B.N. Gangadhar, P.J. Naga Venkatesha Murthy, M.G. Harish, D.K. Subbakrishna, A. Vedamurthachar (India) 255
The use of the Beck Depression Inventory to screen for depression in the general population: a preliminary analysis
L. Lasa, J.L. Ayuso-Mateos, J.L. Vázquez-Barquero, F.J. Díez-Manrique, C.F. Dowrick (Spain, UK) 261
Psychiatric features of individuals with problematic internet use
N.A. Shapira, T.D. Goldsmith, P.E. Keck Jr, U.M. Khosla, S.L. McElroy (USA) 267

Author Index 273
Subject Index 277
Contents (Vol. 57) 281

*Contents continued*

Differential clinical features of late-onset panic disorder
J. Seguí, L. Salvador-Carulla, M. Márquez, L. Garcìa, J. Canet, M. Ortiz (Spain) 115
Effects of pregnancy and delivery on serum prolyl endopeptidase (PEP) activity: alterations in serum PEP are related to increased anxiety in the early puerperium and to postpartum depression
M. Maes, I. Libbrecht, A.-h. Lin, F. Goossens, W. Ombelet, K. Stevens, E. Bosmans, C. Altamura, J. Cox, R. de Jongh, S. Scharpé (Belgium, Italy, USA, UK) 125
Predictors of recurrence in affective disorder — analyses accounting for individual heterogeneity
L.V. Kessing, E.W. Andersen, P.K. Andersen (Denmark) 139
The directed forgetting task: application to emotionally valent material
M.J. Power, T. Dalgleish, V. Claudio, P. Tata, J. Kentish (UK, Portugal) 147
Remission onset and relapse in depression. An 18-month prospective study of course for 100 first admission patients
D. O'Leary, F. Costello, N. Gormley, M. Webb (Ireland, UK) 159
'Acting out' and 'acting in' behavioural stress responses: the relevance of anxiety and personality style
G. Parker, K. Roy, K. Wilhelm, P. Mitchell (Australia) 173
Paternal remarriage as a modifier of proneness to depression in young adulthood
U.K. Tulisalo, H.M. Aro (Finland) 179
Lifetime psychiatric comorbidity rate in Israeli non-help-seeking patients with combat-related post-traumatic stress disorder
B. Spivak, M. Segal, N. Laufer, R. Mester, A. Weizman (Israel) 185
Lack of coordination of nonverbal behaviour between patients and interviewers as a potential risk factor to depression recurrence: vulnerability accumulation in depression
A.L. Bouhuys, M.M. Sam (The Netherlands) 189
Oral *d*-fenfluramine test in treatment-refractory depression. Plasma prolactin response compared in patients with and without suicide attempts and in a healthy reference group
H. Prochazka, M. Sjögren, H. Ågren (Sweden) 201
Do early adverse experiences establish a cognitive vulnerability to depression on exposure to mirroring life events in adulthood?
G. Parker, G. Gladstone, P. Mitchell, K. Wilhelm, K. Roy (Australia) 209

**Brief Reports**

Quality of well being in panic disorder: the assessment of psychiatric and general disability
H.C. Rubin, M.H. Rapaport, B. Levine, J.K. Gladsjo, A. Rabin, M. Auerbach, L.L. Judd, R. Kaplan (USA) 217
Is self-criticism unique for depression? A comparison with social phobia
B.J. Cox, N.A. Rector, R.M. Bagby, R.P. Swinson, A.J. Levitt, R.T. Joffe (Canada) 223
Parental child-rearing behavior as measured by the Parental Bonding Instrument in a Japanese population: factor structure and relationship to a lifetime history of depression
T. Narita, T. Sato, S. Hirano, M. Gota, K. Sakado, T. Uehara (Japan) 229
Health-related quality of life using the SF-36 in patients with bipolar disorder compared with patients with chronic back pain and the general population
L.M. Arnold, K.A. Witzeman, M.L. Swank, S.L. McElroy, P.E. Keck Jr (USA) 235

*Contents continued on page 284*

*Contents continued*

Tridimensional personality questionnaire and treatment response in major depressive disorder: a negative study
J.R. Newman, S.E. Ewing, R.D. McColl, J.S. Borus, A.A. Nierenberg, J. Pava, M. Fava (USA) 241

**Preliminary Communications**

Mexiletine in treatment-resistant bipolar disorder
A. Schaffer, A.J. Levitt, R.T. Joffe (Canada) 249

Antidepressant efficacy of Sudarshan Kriya Yoga (SKY) in melancholia: a randomized comparison with electroconvulsive therapy (ECT) and imipramine
N. Janakiramaiah, B.N. Gangadhar, P.J. Naga Venkatesha Murthy, M.G. Harish, D.K. Subbakrishna, A. Vedamurthachar (India) 255

The use of the Beck Depression Inventory to screen for depression in the general population: a preliminary analysis
L. Lasa, J.L. Ayuso-Mateos, J.L. Vázquez-Barquero, F.J. Díez-Manrique, C.F. Dowrick (Spain, UK) 261

Psychiatric features of individuals with problematic internet use
N.A. Shapira, T.D. Goldsmith, P.E. Keck Jr., U.M. Khosla, S.L. McElroy (USA) 267

Author Index 273
Subject Index 277
Contents (Vol. 57) 281